






CE-VFCD955

Indoor Day/Night Dome Camera

- SONY 1/3" CCD (Super HAD)
- 540 TVL Resolution
- 2.8 ~ 10.5mm (F1.2) TAMRON Lens
- S3 Digital Signal Processor
- Digital Noise Reduction (DNR)
- Sense Up Feature for Optimal Night Image
- OSD Menu Control via Built-in Button Pad
- 3-Axis Adjustment
- DC12V / AC24V

Dimensions



Specifications

Camera	CE-VFCD955
Image Sensor	1/3 Inch SONY (Super HAD) CCD
Resolution	540 TV Lines
Effective Pixels	768 (H) x 494 (V)
Scanning System	2:1 Interlace
S/N Ratio	50dB (AGC Off)
Sync System	Internal / Line Lock
Scanning Frequency	15.734 KHz (H), 59.94 Hz (V)
Minimum Illumination	0.3 Lux / F1.2 (Color), 0.1 Lux / F1.2 (B&W)
Shutter Speed	1/60 ~ 1/100,000 sec.
Dynamic Range	62dB (Max.)
Lens	2.8 ~ 10.5mm (F1.2) TAMRON Lens
Video Output	1.0 Vp-p, 75Ω
Power Consumption	Max. 90mA (AC24V), Max. 200mA (DC12V)
Power Requirement	DC12V / AC24V
Operating Temperature	32°F ~ 113°F
Operating Humidity	Within 90% RH
Dimensions	5.51" (Dia.) x 4.37" (H)
Weight	1.26 lbs.
OSD Menu	Control with OSD Button Pad
Lens	Manual / DC Video
Shutter	ESC / Manual / FLK
White Balance Control	ATW / AWC / Manual
Back Light	Off / Low / Middle / High
Gain Control	Off / Low / Middle / High
Digital Noise Reduction	Off / Low / Middle / High
Sens-Up	Off / Auto
Special	Camera ID, Sync, Privacy, Sharpness Color, Motion Detection, Mirror, Reset

Information in this document is subject to change

Recommended Power Supply

All Clinton Electronics Power Supplies

